

Kent County Influenza Surveillance Report, 2008 -2009



CUMULATIVE INFLUENZA CASES OCTOBER 1, 2008 – October 7, 2009 , (mid-week data) YEAR TO DATE

Reported Influenza Cases in Kent County, By Type of Influenza, through October 7, 2009 (mid-week)

	Frequency	Percent
Type A	389	68.0 %
Type B	140	24.5%
Type A &B	1	.2 %
Missing System	42	7.3 %
Total	572	100.0 %

Reported Influenza Cases in Kent County, by Age Group, through October 7, 2009 (mid-week)


	Frequency	Percent
0-5	119	20.8 %
6-17	263	46.0 %
18-64	176	30.8 %
65+	11	1.9 %
Missing	3	.5%
Total	572	100.0 %

Reported Influenza Cases in Kent County, by Sex, Week ending October 7, 2009 (mid-week)

	Frequency	Percent
Valid Female	286	50.0 %
Male	284	49.7 %
Unknown	2	.3 %
Total	572	100.0 %



Number of Reported Cases of Influenza in Kent County, by Specimen Collection Date, October 1, 2008 - October 7, 2009 (mid-week)



These results include rapid antigen testing, immunofluorescence assays, viral culture, serology, and PCR.

**Influenza A H1N1 by Specimen Collection Date
Kent County 4/22/09- 9/24/2009**

Influenza A (H1N1) by Sex

		Frequency	Percent
sex	Female	27	47.4 %
	Male	30	52.6 %
	Total	57	100 %

**Influenza A H1N1 by Specimen Collection Date
Kent County 4/22/09- 9/24/2009**

Influenza A (H1N1) by Age Group

		Frequency	Percent
Age (years)	0-5	9	15.8 %
	6-17	21	36.8 %
	18-64	26	45.6 %
	65+	1	1.8 %
	Total	57	100 %

Kent County Influenza Surveillance Report, 2008 -2009



Influenza A H1N1 by Specimen Collection Date Kent County 4/22/09- 9/24/2009

Influenza A (H1N1) by race

	Frequency	Percent
Valid Other	53	93.0 %
Caucasian	3	5.2 %
Unknown	1	1.8 %
Total	57	100.0

Influenza A H1N1 by Specimen Collection Date Kent County 4/22/09- 9/24/2009

Influenza A (H1N1) by Ethnicity

	Frequency	Percent
Hispanic or Latino	39	68.4 %
Unknown	18	31.6 %
Total	57	100 %

Influenza A H1N1 by Specimen Collection Date Kent County 4/22/09- 10/7/2009

