Kent County Health Department

700 Fuller NE, Grand Rapids, MI 49507, 336-3085

We respect your right to responsible sexuality!



FACTS:

- Can get it by having vaginal, anal and oral sex with someone who has it
- Syphilis has three stages and the symptoms and signs of each stage are different.

1st Stage:

• Usually a painless, reddish sore called a chancre that comes 10-90 days after vaginal, oral and anal sex with someone who has it.

• The sore(s) will go away in 1-5 weeks, but Syphilis is still in the body.

2nd Stage:

• Symptoms include a rash, flu-like symptoms and loss of scalp hair that show up 2 weeks to 6 months after the chance.

• These will go away in 2-6 weeks, but Syphilis is still in the body.

3rd Stage:

• A person may never have symptoms again but the infection stays in the body until they get the right medication for it.

Testing:

• A blood test

If Left Untreated:

• If not detected early, it can progress to another, more severe stage.

• Syphilis can permanently damage your heart, brain and other vital organs and can even kill you.

• Can be passed from a mother to her baby during pregnancy and cause problems in the baby.

Prevention/Protection:

• Have your partners get testing and medicine. If they are not cured, they can pass it back to you or to another.

• Use a condom (rubber) every time you have vaginal, oral and anal sex.

• Limit your number of sex partners - the more partners you have, the higher your risk for getting an infection.

For More Information from The Centers For Disease Control And Prevention: <u>Syphilis</u>

Syphilis Information for MSM (Men who have Sex with Men)

If you think you have an infection, get tested right away!